

Attorney Docket No.: 1063-1-011

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(S):

Ian Roger Bateman et al.

SERIAL NO.:

10/588,204

EXAMINER: Frederick Lyndon Lagman

DATE FILED:

August 2, 2006

ART UNIT:

3672

FOR: UNDERGROUND AND PARTLY SUBMERGED PIPE WINDING

APPARATUS AND METHOD

CERTIFICATE OF MAILING UNDER 37 CFR §1.8

I hereby certify that this correspondence is being deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to Mail Stop Issue Fee, Commissioner For Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on September 11, 2008.

Sue Yun Lee (Name of Depositor)

Mail Stop Issue Fee Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

INFORMATION DISCLOSURE STATEMENT

In accordance with Applicant's and Applicant's representatives' Duty of Disclosure under 37 CFR § 1.56, and pursuant to 37 CFR §1.97 and MPEP 717.05(b), Applicant(s) submit herewith documentary information for consideration by the Examiner. Information herein cited is only set forth in fulfillment of Applicant's duty of candor in disclosing all information brought to his attention, and is not an admission that it can be used adversely.

Accordingly, Applicant submits Reference BA as listed on Form PTO/SB/08a, solely for placement in the file of the issued patent. Applicant submits that the listed citation has been received

Attorney Docket No.: 1063-1-011

and reviewed, and is not relevant to the patentability of the present application. No fee is believed due for the filing of this statement inasmuch as it is being submitted solely for placement on the record, and will not be considered by the Examiner. However, should the Patent and Trademark Office determine otherwise, authorization is hereby given to charge Deposit Account No. 11-1153 for this filing.

Respectfully submitted,

DAVID A. JACKSON Attorney for Applicants

Registration No. 26,742

KLAUBER & JACKSON LLC 411 Hackensack Avenue, 4th Floor Hackensack, New Jersey 07601 201-487-5800